


PORTO

1703

WALL MOUNTED BATH FILLER



EN
INSTALLATION
AND CARE GUIDE

Please retain for future reference

LUSO

INTRODUCTION


Thank you for purchasing the Porto Wall Mounted Bath Filler.

Please read this guide carefully before installing, using and cleaning this product, and retain it for future reference. Please also note that this bath filler has been fully tested before being dispatched, which may mean there is water residue on some of the parts.

If you have any queries in relation to this product or guide, please contact our Customer Service team on 020 3370 4057.

PRODUCT KIT

- | | | | |
|----------|-----------------|----------|-------------------|
| A | Valve | G | Back Rings (x2) |
| B | Levers (x2) | H | Spout |
| C | Wall Plugs (x8) | I | Elbow |
| D | Screws (x8) | J | Hand Shower |
| E | Connector A | K | Shower Hose |
| F | Connector B | L | Rubber Rings (x2) |








INSTALLATION STEPS

Before installation, please note that this bath filler tap and handheld shower is designed for wall mounting only, and we recommend that it is installed by a fully qualified plumber.

It is suitable for use on all boiler systems including pumped, gravity and combination boilers to a maximum pressure of 5 bar - pressure above this may require the fitting of reducer valves.

Please also note that failure to flush your plumbing system as part of the installation process will void the product guarantee. In addition, you must fully test the product before tiling and/or plastering, etc as Lusso will not be held responsible for any costs involved in the removal of the product if you find there is a fault.

- 1** Mark the required position of the valve, remove the two flanges, and fix it into place using the provided wall plugs and screws.
- 2** Connect the hot and cold water feeds, referring to figure 2 for guidance.
- 3** Lightly screw the two flanges back onto the valve, then screw connector A and B into position with PTFE tape. Next, affix the back rings, then connect the spout and shower elbow.
- 4** Tighten the flanges to ensure they're securely connected to the valve.
- 5** Attach the two levers onto the flanges. Next, using the provided rubber rings, affix the hand shower to the shower hose, connect the other end of the hose to the shower elbow and place the shower into position. Finally, check for leaks to complete the installation.



CARE INSTRUCTIONS

To clean and maintain the flawless finish of this product, please follow the below instructions. Improper maintenance will void your product guarantee.

- ✓ Rinse the surface of the product with clean water.
- ✓ Dry with a soft cloth.
- ✓ Remove surface marks using a neutral cleanser without coarse grained powder.

- ✗ Do not use acidic cleansers.
- ✗ Do not use abrasive cleansers or cloths.

Go to Lusso.com to activate your guarantee.

LUSO

Customer Care: 020 3370 4057

International: +44 20 3370 4057